Spare Parts and Accessories

DISAB Vacuum Units and Vacuum Systems

DISAB
THE POWER OF VACUUM

Table of Contents

About us 4

Cleaning Kit

- Cleaning Kit Basic 7
- Cleaning Kit Medium 8
- Cleaning Kit Rubber Light 9
- Cleaning Kit No Spark 10
- Cleaning Kit Bulk 11

Accessories 13

- Cleaning Hoses 12
- Hose Sockets & Joint Pieces 16
- Hose Transitions & Swivels 17
- Suction Outlet Adaptors 18
- Bends for Suction Pipes 19
- Suction Pipes for Nozzles 20
- Suction Pipes 22
- Telescope Pipe For Nozzles 23
- Nozzles For Telescope Pipes 24
- Floor Nozzles 25
- Front Nozzles 27
- Flat Nozzles 29
- Bulk, Heavy Cleaning Nozzles 30
- Round Nozzles 31
- Hand Nozzles 32
- Hose Storage 33
- DISAFLOW - System 36
- KLO - Coupling 38

Pipe System 39

Filters 47

Spare Parts 50

Service 54

Place your order by contacting us at:
+46 (0)8 514 505 70 or by email at industrial@disab.com

For more information, please visit our website at
www.disab.com

DISAB
THE POWER OF VACUUM

About us

Providing dust-free industrial environments

Keeping dusts and spillages under control in any industrial site is a major task, especially when it comes to maintaining process quality and achieving high standards of health & safety and environmental performance.

We have a long experience with vacuum technology and a great expertise in engineering solutions for various industrial applications. Our equipment is used every day to clean plant sites, remove dust and hazardous particulates, recycle spillages, transport and recycle all sort of, and sometimes valuable, materials.

Our mission is to provide dust-fredd industrial environments.Our vision is to be the leader in our field.

Innovation. Service. Quality.

Since 1976, DISAB has designed and manufactured market leading industrial equipment using vacuum-based technology, creating innovating and highly efficient solutions for all types of applications and industries troughout the world.

We provide our customers and business partners with innovative products and services. We ask questions and carry out research until we have the right solutions needed for every single job.

Separating the useful from the harmful

At DISAB we value customer service and always deliver proper training for our customer on how to operate our machines and systems to ensure a safe working environment.

Doing so, we are pursuing a clearly defined goal: to maintain and extend our position as market leader in vacuum technology over the coming years. We believe in social responsibility and to separating the useful from the harmful. We shape the future by developing and providing outstanding solutions to achieve higher standards of helth & safety in working environments.

Learn from the past but grow into the future

Part of our growth and succes have been to create long-term relationships, encouraging proferssional curiosity, and striving to make constant improvements.

Our expertise and experience when it comes to vacuum technology makes us the leader we are today. Every day we find new applications to where we can apply our knowledge and introducing vacuum technology to efficiently get the work done with a safe and cost effective solution!

CLEANING KIT

CLEANING KIT

Discover how DISAB has provided a variety of industries, from pulp mills to the pharmaceutical industry, with reliable machines and equipment. Our reputation for offering the market's most comprehensive range of cleaning accessories is well founded. To make your choice even easier, we have created complete cleaning packages that include everything you need to immediately get started with your cleaning needs. With DISAB, efficiency and quality are always in focus.

Cleaning Kit basic

Very flexible system for normal cleaning.
Suitable for bakeries, pharmaceuticals and manufacturing.

Art. No.	Term
580-1001	Cleaning Kit Basic 38/76
580-1002	Cleaning Kit Basic 51/76
580-1003	Cleaning Kit Basic 60/76
580-1004	Cleaning Kit Basic 51/102
580-1005	Cleaning Kit Basic 60/102



CLEANING KIT

Cleaning Kit Medium

A syste compromising between the wear resistance of rubber hoses and the flexibility of plastic hoses.

Suitable for lighter cleaning at power plants and paper and pulp industries.

Art. No.	Term
580-1006	Cleaning Kit Medium 51/76
580-1007	Cleaning Kit Medium 51/102



CLEANING KIT

Cleaning Kit Rubber Light

Suitable for heavy industry such as foundries, concrete and mines.

Art. No.	Term
580-1008	Cleaning Kit Rubber Light 51/76
580-1009	Cleaning Kit Rubber Light 51/102
580-1010	Cleaning Kit Rubber Light 60/76
580-1011	Cleaning Kit Rubber Light 60/102



CLEANING KIT

Cleaning Kit No Spark

Package where avoidance of sparks is essential.

Art. No.	Term
580-1015	Cleaning Kit No Spark 51/76
580-1016	Cleaning Kit No Spark 51/102



CLEANING KIT

Cleaning Kit Bulk

For disposal of large volumes, i.e. around conveyors and silos.

Art. No.	Term
580-1012	Cleaning Kit Bulk 76/76
580-1013	Cleaning Kit Bulk 76/102
580-1014	Cleaning Kit Bulk 102/102

CLEANING HOSES

Tella Light Blue

Suitable for normal to abrasive materials such as wood chips, concrete and limestone.
Standard length: 10, 15 och 20 m. Can be grounded.

Operating temp -30°C till +85°C



Tella Light Blue

Size	Art. No.	Weight
Ø 51 mm	RS 1-50/2SR	0,95 kg/m
Ø 60 mm	RS 1-60/2SR	1,11 kg/m
Ø 76 mm	RS 1-76/2SR	1,30 kg/m
Ø 102 mm	RS 1-102/2SR	1,85 kg/m

** 5 = Strongest, most flexible, heaviest*

Disaflex

Black Para-rubber hose with special cord, steel helix and 3mm inner wear rubber. suitable for sludge, rocks, blaster sand etc.
Also as working hose for vacloaders.
Standard length 12 m. Can be grounded.

Operating temp -30°C till +90°C



Disaflex

Size	Art. No.	Weight
Ø 76 mm	010 3076	2,0 kg/m
Ø 102 mm	010 3102	2,9 kg/m
Ø 127 mm	010 3127	3,9 kg/m
Ø 152 mm	010 3152	4,5 kg/m

** 5 = Strongest, most flexible, heaviest*

CLEANING HOSES

Vibratan

Vibratan is lighter than the rubber hoses and works well with abrasive materials but with somewhat lesser durability. Resistant to oil, gasoline, lye, and solvents. Standard length 10 m. Can be grounded.

Operating temp -40°C till +90°C



Vibratan

Size	Art. No.	Weight
Ø 38 mm	007 0038	0,46 kg/m
Ø 51 mm	007 0051	0,71 kg/m
Ø 60 mm	007 0060	0,84 kg/m
Ø 76 mm	007 0076	1,06 kg/m
Ø 102 mm	007 0102	1,48 kg/m

** 5 = Strongest, most flexible, heaviest*

Tellatan

Very smooth and flexible hose suited for most common cleaning chores. Frequently used in bakeries and general cleaning at power and process plants.
Standard length 10 m. Can be grounded.

Operating temp -40°C till +90°C



Tellatan

Size	Art. No.	Weight
Ø 38 mm	RS 1-38/PREAF	0,39 kg/m
Ø 51 mm	RS 1-50/PREAF	0,45 kg/m
Ø 60 mm	RS 1-60/PREAF	0,50 kg/m
Ø 76 mm	RS 1-76/PREAF	0,61 kg/m

** 5 = Strongest, most flexible, heaviest*

CLEANING HOSES

Vibraflex

Very smooth and flexible hose suited for most cleaning tasks. Frequently used in bakeries, power plants and other process facilities for general cleaning purposes. Standard length 15 m. Antistatic.

Operating temp -40°C till +60°C



Vibraflex

Size	Art. No.	Weight
Ø 38 mm	006 0038	0,29 kg/m
Ø 51 mm	006 0051	0,42 kg/m
Ø 60 mm	006 0060	0,54 kg/m

** 5 = Strongest, most flexible, heaviest*

No Spark Cleaning Hose

Avoid risks and maximize efficiency with this reliable cleaning hose, perfectly suited for situations where sparking must be avoided. Standard length 10 m.

Operating temp -40°C till +90°C



No Spark Cleaning Hose

Size	Art. No.	Weight
Ø 51 mm	010 0013	0,71 kg/m

** 5 = Strongest, most flexible, heaviest*

GROUNDING INSTRUCTIONS

Procedure for contacting earth coil in vacuum cleaner hose.

Leave approx. 60mm of the metal spiral.

Bend the exposed spiral in the hose and put on hte hose clamp.

Slide the accessory in and tighten the hose clamp.

HOSE SOCKETS & JOINT PIECES

Hose Socket

Hose socket in plastic with aluminium socket, for inside assembly on hose.
Suitable for all 38 mm hoses.

Size	Art. No.
Ø 38 mm	RS 30-38/J

Hose Socket

Hose Socket Vibraflex

Hose sockets suitable for Vibraflex-hose.

Size	Art. No.
Ø 38 mm	054 0038
Ø 51 mm	054 0051
Ø 60 mm	054 0060

Hose Socket Vibraflex

Hose Socket Vibratan

Hose sockets in polyurethane suitable for all TELLA working hoses in polyurethane.

Size	Art. No.
Ø 38 mm	053 0038
Ø 51 mm	053 0051
Ø 60 mm	053 0060
Ø 76 mm	053 0076
Ø 102 mm	053 0102

Hose Socket Vibratan

Joint Piece for Hose

Joint piece for hose in steel.

Size	Art. No.
Ø 38 mm	445100
Ø 51 mm	445150
Ø 60 mm	445200
Ø 76 mm	445250
Ø 102 mm	445300
Ø 127 mm	445350
Ø 152 mm	445400

Joint Piece, steel

HOSE TRANSITIONS & SWIVELS

Hose Transition

Hose transition for hose in steel.

Size	Art. No.
Ø 38/51 mm	RS 38-50

Hoose transition, steel

Hose Transition

Hose transitions for hose in steel.

Size	Art. No.
Ø 51/60 mm	450100
Ø 51/76 mm	450150
Ø 60/76 mm	450200
Ø 76/102 mm	450250
Ø 102/127 mm	450300
Ø 102/152 mm	450350
Ø 127/152 mm	450450

Hose transition, steel

Swiveling Coupling

Swiveling coupling in steel.

Size	Art. No.
Ø 38 mm	RS 32-38/M
Ø 51 mm	RS 32-50/M
Ø 60 mm	RS 32-60/M
Ø 76 mm	RS 32-76/M

Swiveling Coupling, steel

Swiveling Coupling, Nylon

Not groundable.

Size	Art. No.
Ø 38 mm	RS 32-38/N
Ø 51 mm	RS 32-50/N
Ø 60 mm	RS 32-60/N

Swiveling Coupling, nylon

SUCTION OUTLET ADAPTORS

Suction Outlet Adaptor Special

Suction outlet adapter special in antistatic rubber.
Fits outlets 68 mm to 78 mm.

Size	Art. No.
Ø 51 mm	RS 33-50/VS Special

Suction Outlet Adaptor Special

Suction Outlet Adaptor for Tella Blue 108mm outlets.

Antistatic.

Size	Art. No.
Ø 51 mm	071 0051
Ø 60 mm	071 0060
Ø 70 mm	071 0076
Ø 108 mm	071 0102

Suction Outlet Adaptor for Outlets 108mm

Suction Outlet Adaptor for Tella Blue 76mm

Antistatic.

Size	Art. No.
Ø 38 mm	070 0038
Ø 51 mm	070 0051
Ø 60 mm	070 0060
Ø 76 mm	070 0076

Suction Outlet Adaptor for Outlets 76mm

Suction Outlet Adaptor steel

For Tella suction outlets
76-38, 81-38,1,2,3.

Size	Art. No.
Ø 38 mm	RS 34-38

Suction Outlet Adaptor, steel

BENDS FOR SUCTION PIPES

Steel Bend, Standard

Double-coned, standard

Size	Art. No.
Ø 38 mm	RS 31-40
Ø 51 mm	RS 31-50
Ø 60 mm	RS 31-60

Steel Bend, standard

Steel Bend, strengthened

Double-coned, strengthened.

Size	Art. No.
Ø 38 mm	RS 31-40/F
Ø 51 mm	RS 31-50/F
Ø 60 mm	RS 31-60/F

Steel Bend, strengthened

SUCTION PIPES FOR NOZZLES

Side Handle Steel

Size	Art. No.
Ø 51 mm	020 5000
Ø 60 mm	020 6000
Ø 76 mm	020 7600
Ø 102 mm	020 1020

Side Handle, steel

Handle for mounting suction pipe aluminimum

Size	Art. No.
Ø 76 mm	435-572
Ø 102 mm	435-574
Ø 152 mm	435-576

Handle, aluminium

Suction Pipe with Integrated Bend

Suction pipe in steel with integrated bend.

Size	Art. No.
Ø 38 mm	021 MA38
Ø 51 mm	021 MA51

Suction Pipe, Integrated Bend

Suction Pipe with reinforced suction bend.

Suction pipe in aluminium with rubber covering and handle.

Size	Art. No.
Ø 51 mm	022 0051
Ø 60 mm	022 0060

Suction Pipe, Reinforced Bend

SUCTION PIPES FOR NOZZLES

Suction Pipe Aluminium 1,5 m

Suction pipe in aluminium..
Coned in respectively out. Length 1.5 m

Size	Art. No.
Ø 51 mm	RS 2-50/3

Suction Pipe, aluminium

Suction Pipe Steel 1 m

Suction pipe in steel.
Coned in respectively out. Length 1 m

Size	Art. No.
Ø 51 mm	RS 2-50/4S
Ø 60 mm	RS 2-60/4S

Suction Pipe, steel

Suction Pipe Aluminium 1 m

Suction pipe in aluminium.
Coned in respectively out. Length 1 m

Size	Art. No.
Ø 51 mm	RS 2-50/1
Ø 60 mm	RS 2-60/1

Suction Pipe, aluminium

Suction Pipe Aluminium 1,2 m

Suction pipe in aluminium..
Coned in respectively out. Length 1,2 m

Size	Art. No.
Ø 51 mm	RS 2-50/2

Suction Pipe, aluminium

SUCTION PIPES

Suction Pipe, Aluminium 1,2 m

Straight suction pipe in aluminium, front angle. length 1,2 m.
Round/side handle for mounting on suction pipe see page 20.

Size	Art. No.
Ø 76 mm	020 0076
Ø 102 mm	020 0102
Ø 127 mm	020 0127
Ø 152 mm	020 0152

Suction Pipe, aluminium

Suction Pipe, Aluminium 0,5 m

Straight suction pipe in aluminium, front angle. length 0,5 m.
Round/side handle for mounting on suction pipe see page 20.

Size	Art. No.
Ø 38 mm	420140
Ø 51 mm	420200
Ø 60 mm	420250
Ø 78 mm	420300
Ø 102 mm	420350

Suction Pipe, aluminium

Suction Pipe, Steel 0,5 m

Straight suction pipe in steel, front angle. length 0,5 m.
Round/side handle for mounting on suction pipe see page 20.

Size	Art. No.
Ø 51 mm	410150
Ø 60 mm	410200
Ø 76 mm	410250
Ø 102 mm	410350
Ø 127 mm	410400
Ø 152 mm	410450

Suction Pipe, steel

TELESCOPE PIPE FOR NOZZLE

Telescope Pipe Ø 51 mm

Adjustable telescope pipe in aluminium.
Length 1,2 to 2,3 m respectively 2,5 to 4,8 m.

Size	Art. No.
Ø 51 mm	RS 2-50/6A
Ø 51 mm	RS 2-50/6B

See next page for compatible nozzles.

Telescope Pipe Ø 51 mm

Telescope pipe Ø 38 mm

Adjustable telescope pipe in aluminium.
Length 1,2 to 2,3 m respectively 2,5 to 4,8 m.

Size	Art. No.
Ø 38 mm	RS 2-38/6A
Ø 38 mm	RS 2-38/6B

See next page for compatible nozzles.

Telescope Pipe Ø 38 mm

NOZZLES FOR TELESCOPE PIPES

Nozzle for Telescope Pipe
Nozzle for telescope pipe, in plastic.
Radius 200 mm Ø 38 mm och Ø 51 mm.

Art. No.
RS 13-50/L

Nozzle for Telescope Pipe. Radius 200 mm

Nozzle for Telescope Pipe
Nozzle for telescope pipe, in plastic.
Radius 100 mm Ø 38 mm och Ø 51 mm.

Art. No.
RS 13-50/S

Nozzle for Telescope Pipe, Radius 100 mm

Nozzle for Telescope Pipe Cable Rack
Nozzle for Telescope pipe, suitable for cable racks and flat surfaces. Suitable for Ø 38 mm och Ø 51 mm.

Size	Art. No.
Ø 38 mm	RS 13-50/P
Ø 51 mm	RS 13-50/P

Nozzle for Telescope Pipe Cable Rack

Revolving Nozzle for Telescope Pipe
Nozzle for telescopic pipe, steel plate with revolving top mould. Width 30, 40 and 60cm. Only fits Ø 38 mm och Ø 51

Size	Art. No.
Ø 38 - 51 mm	RS 20-40/30T
Ø 38 - 51 mm	RS 20-40/40T
Ø 38 - 51 mm	RS 20-40/60T

Revolving Nozzle for Telescope Pipe

FLOOR NOZZLES

Floor Nozzle, Steel Plate
Floor Nozzle, steel plate. Exchangeable link, rubber stripes and wheels. Width 55 cm.

Size	Art. No.
Ø 51 mm	RS 5-50/2E
Ø 60 mm	RS 5-60/2E

Floor Nozzle, Steel Plate 55 cm

Floor Nozzle, Steel Plate
Floor Nozzle, steel plate. Exchangeable link, rubber stripes and wheels. Width 45 cm.

Size	Art. No.
Ø 51 mm	RS 5-50/2D
Ø 60 mm	RS 5-60/2D

Floor Nozzle, Steel Plate 45 cm

Floor Nozzle, Steel Plate
Floor Nozzle, steel plate. Exchangeable link, rubber stripes and wheels. Width 30 cm

Size	Art. No.
Ø 51 mm	RS 5-50/2CM
Ø 60 mm	RS 5-60/2CM

Floor Nozzle, Steel Plate 30 cm

Floor Nozzle, Silumin with Wheels
Floor nozzle, in silumin with link. Exchangeable brush stripes and wheels. Width 60cm.

Size	Art. No.
Ø 51 mm	RS 4-50/60H

Floor Nozzle, Silumin with Wheels, 60 cm

Floor Nozzle, Silumin with Wheels
Floor nozzle, in silumin with link. Exchangeable brush stripes and wheels. Width 40cm.

Size	Art. No.
Ø 51 mm	RS 4-50/40H

Floor Nozzle, Silumin with Wheels, 40 cm

FLOOR NOZZLES

Floor Nozzle silumin

Floor nozzle, in silumin with link.
Exchangeable brush stripes. Width 40 cm.

Size	Art. No.
Ø 51 mm	RS 4-50/40

Floor nozzle silumin width 40 cm

Floor Nozzle silumin/rubber

Floor nozzle, in silumin with link.
Exchangeable rubber and brush stripes with extra brushes. Width 40 cm.

Size	Art. No.
Ø 51 mm	RS 4-50/40G

Floor nozzle silumin/rubber width 40 cm.

Floor Nozzle Tella Brush

Floor nozzle Tella brush, in aluminium and plastic with link. Adjustable wheels.
Exchangeable brush stripes. Width 50 cm.

Size	Art. No.	Width
Ø 38 mm	025 0038	370 mm
Ø 51 mm	025 0051	500 mm
Ø 60 mm	025 0060	

Floor nozzle Tella brush width 50 cm

Floor Nozzle Tella Rubber

Floor nozzle Tella brush, in aluminium and plastic with link. Adjustable wheels.
Exchangeable rubber stripes. Width 50 cm.

Size	Art. No.
Ø 38 mm	026 0038
Ø 51 mm	026 0051
Ø 60 mm	026 0060

Floor nozzle Tella Rubber 50 cm

FRONT NOZZLES

Front Nozzle plastic

Front nozzle in plastic. Length 45 cm.
Width 4,5 cm. Suction port 2,5 cm.

Size	Art. No.
Ø 38 mm	RS 27-38
Ø 51 mm	RS 27-50

Front floor nozzle plastic

Front Nozzle plastic

Front nozzle in plastic. Length 45 cm.
Width 6 cm. Suction port 1,5 cm.

Size	Art. No.
Ø 38 mm	RS 27-38/LP
Ø 51 mm	RS-27-50/LP
Ø 60 mm	RS 27-60/LP

Front floor nozzle plastic

Front Nozzle plastic flat

Front nozzle in plastic. Length 38 cm.
Width 4 cm. Suction port 0,5 cm.

Size	Art. No.
Ø 38 mm	RS 24-38

Front floor nozzle plastic flat

Front Nozzle plastic

Front nozzle in plastic, conical.
Length 26 cm. Suction port 2,8 cm.

Size	Art. No.
Ø 38 mm	RS 23-38

Front floor nozzle plastic

Front Nozzle rubber

Front nozzle in rubber, conical.
Length 50 cm. Suction port 1,8 cm.

Size	Art. No.
Ø 51 mm	RS 13-50/B

**Wont fit direct on hose use transition RS 85-50 between hose and nozzle.*

Front floor nozzle rubber

FRONT NOZZLES

Front Nozzle, Rubber
Front nozzle in rubber.
Length 50 cm. Suction port 3 cm.

Size	Art. No.
Ø 51 mm	RS 11-50

**Wont fit direct on hose, use transition RS 85-50 between hose and nozzle.*

Front Nozzle, Rubber

Front Nozzle, Rubber
Front nozzle in rubber with collar, conical.
Length 25 cm. Suction port 2 cm.

Size	Art. No.
Ø 51 mm	031 0500

**Wont fit direct on hose use transition RS 85-50 between hose and nozzle.*

Front Nozzle, Rubber Conical

Front Nozzle, Steel.
Front nozzle in steel. Length 70 cm.
Width 5 cm. Suction port 1,2 cm.

Size	Art. No.
Ø 38 mm	RS 27-38/LMA
Ø 51 mm	RS 27-50/LMA

Front Nozzle, steel

Front Nozzle, Steel
Front nozzle in steel. Length 75 cm.
Width 7 cm. Suction port 2 cm.

Size	Art. No.
Ø 51 mm	RS 27-50/LMB
Ø 60 mm	RS 27-60/LMB

Front Nozzle, steel

Front Nozzle, Aluminium
Front nozzle in aluminium. Length 68 cm.
Width 5 cm. Suction port 1,4 cm.

Size	Art. No.
Ø 38 mm	RS 27-38/LMAL

Front Nozzle, aluminium

FLAT NOZZLES

Flat Nozzle, Siliumin
Flat nozzle in silumin with fixed link.
Width 15 cm.

Size	Art. No.
Ø 38 mm	RS 3-38
Ø 51 mm	RS 3-50
Ø 60 mm	RS 40-60 SKR

Flat Nozzle, Silumin

Flat Nozzle Siliumin with Wheels
Flat nozzle in silumin with fixed link, wheels.
Without brush stripes width 15 cm.

Size	Art. No.
Ø 38 mm	RS 3-38/7
Ø 51 mm	RS 3-50/7

Flat Nozzle, Silumin with Wheels

Flat Nozzle, Silumin Brush
Flat nozzle in siluin with brush stripes.
Width 15 cm.

Size	Art. No.
Ø 38 mm	RS 3-38/2
Ø 51 mm	RS 3-50/2

Flat Nozzle, Silumin Brush

Flat Nozzle, Rubber
Flat nozzle with serrated rubber list.
Width 20 cm.

Size	Art. No.
Ø 38 mm	RS 3-38/5
Ø 51 mm	RS 3-50/5

Flat Nozzle, Rubber

BULK, HEAVY CLEANING NOZZLES

Nozzle for bulk suction

Size	Art. No.
Ø 51 mm	023 0051
Ø 60 mm	023 0060
Ø 76 mm	023 0076
Ø 102 mm	023 0102
Ø 127 mm	023 0127
Ø 152 mm	023 0152

Bulk nozzle

Floor Nozzle, heavy design

Size	Art. No.
Ø 76 mm	026 0076
Ø 102 mm	026 0102

Floor nozzle heavy design

ROUND NOZZLES

Round Brush

Round brush in rubber with hard brush in nylon.
Width 9,5 cm.

Size	Art. No.
Ø 38 mm	RS 8-38/A
Ø 51 mm	RS 8-50/A
Ø 60 mm	RS 8-60/A

Round Brush

Round Brush Medium

Round brush in rubber with medium soft brush.
width 7,5 cm.

Size	Art. No.
Ø 38 mm	RS 8-38/B
Ø 51 mm	030 0500

Round Brush Medium

Round Brush hard

Round brush in rubber with brush in metal.
Width 9,5 cm.

Size	Art. No.
Ø 38 mm	RS 8-38/AM
Ø 51 mm	RS 8-50/AM
Ø 60 mm	RS 8-60/AM

Round Brush Hard

Brush for 030 0500

Bottom mould to round brush 030 0500.
medium soft brush in nylon. Also fits 8-38/B.

Art. No.
RS 8-50/BU

RS 8-50/BU

Brush for RS 8-50/A

Bottom mould to round brush 8-50/A.
Hard brush in nylon. Also fits 8-38/A and 8-60/A.

Art. No.
RS 8-50/AU

Brush for RS 8-50/A

Brush for RS 8-50/AM

Bottom mould to round brush 8-50/AM.
Hard brush in metal. Also fits 8-38/AM and 8-60/AM.

Art. No.
RS 8-50/AMU

Brush for RS 8-50/AM

HAND NOZZLES

Oval Brush

Size	Art. No.
Ø 38 mm	RS 52-38

Oval Brush

Rectangle Brush

Width 7 cm.

Size	Art. No.
Ø 38 mm	RS 25-38/A

Rectangle Brush

HOSE STORAGE



Keep it tidy

- **Better efficiency**
- **Reduce downtime**
- **Creates a better working enviroment**

Optimize your production capacity with our efficient cleaning solutions and clearly marked cleaning stations. Through systematic maintenance, we reduce the risk of critical errors and downtime, while our strategy goes beyond mere cleaning to significantly increase efficiency with reduced setup times and optimal machine maintenance.

Be sure not only to create a safe and pleasant workplace, but also invest in a long-term cost reduction by contacting us for the first step towards a more profitable and successful business.

HOSE STORAGE

Hose Cart
Price on request with hose of choice.

Contact us for more information.

Hose Cart

Hose Reel-Up Device
Swiveling bracket 90°, antistatic hose, microswitch that switches off the suction source when the hose is coiled up

Size	Art. No.
Ø 38 – 10 m	RS 4000/AP
Ø 50 – 10 m	RS 5000/AP

Hose Reel-up

Hose Shelf with tool holder
Width 590 mm. Depth 125 - 250mm. Height 350 mm.

Size	Art. No.
Ø 38 – 60 mm	RS 70-50/HM
Ø 76 – 102 mm	RS 70-50/HS

Hose Shelf

Hose Holder with Hook
Hose holder for hoses up to 60 mm, with hook.

Size	Art. No.
Ø 38 – 60 mm	075 0076

Hose Holder with Hook

Tool Basket
Top edge measures 155 x 330 mm. Height 300mm.

Size	Art. No.
155 x 330 mm	074 0051

Tool Basket

HOSE STORAGE

Tool Holder, Electro-Galvanized

Size	Art. No.
180 mm	RS 16B

Tool holder 180 mm

Tool Holder, Electro-Galvanized

Size	Art. No.
80 mm	RS 16A

Tool Holder 80 mm

Tool Holder
Max 10 kg. Max diameter pipe 38 mm.

Art. No.
080 0013

Tool Holder

Wall Panel
Mounting not included.

Size	Art. No.
1500 x 400 mm	080 0011

Wall Panel

DFS Hose Coupling with Flange

Size	Art. No.
Ø 76 mm	435-422
Ø 100 mm	435-424
Ø 125 mm	435-425
Ø 150 mm	435-426
Ø 200 mm	435-428

DFS Hose Coupling

DFK Spanner

Size	Art. No.
Ø 100 mm	435-524
Ø 150 MM	435-526
Ø 200 MM	435-528

DFK Spanner

DFV Steel Coupling for Welding, Long

Size	Art. No.
Ø 150 mm	435-449
Ø 200 mm	435-450

DFV Steel Coupling for Welding, Long

DISAFLOW - SYSTEM

DFV Steel Coupling for Welding, Short

Size	Art. No.
Ø 100 mm	435-444
Ø 150 mm	435-446
Ø 200 mm	435-448

Steel Coupling for Welding, Short

DSB Steel Bend, 90°

Size	Art. No.
Ø 150 mm	435-632
Ø 200 mm	435-631

DSB Steel Bend 90°

DFU Reducer

Size	Art. No.
Ø 100/76 mm	435-704
Ø 125/100 mm	435-703
Ø 150/100 mm	435-702
Ø 150/125 mm	435-701
Ø 200/150 mm	435-700

DFU Reducer

DFB Blind Cap

Size	Art. No.
Ø 100 mm	435-514
Ø 150 mm	435-516
Ø 200 mm	435-518

DFB Blind Cap

DFY Y-Pipe

Size	Art. No.
Ø 150-2x100	435-709
Ø 150-2x150	435-708
Ø 200-2x150	435-706

DFY Y-Pipe

KLO - COUPLINGS

Hose Coupling, Female

Size	Art. No.
Ø 76 mm	081 0076
Ø 102 mm	081 0102
Ø 127 mm	081 0127
Ø 152 mm	081 0152

Hose Coupling, Female

Coupling for welding, Male

Size	Art. No.
Ø 76 mm	082 0076
Ø 102 mm	082 0102
Ø 127 mm	082 0127
Ø 152 mm	082 0152

Coupling Welding, Male

Hose Coupling, Male

Size	Art. No.
Ø 76 mm	080 0076
Ø 102 mm	080 0102
Ø 127 mm	080 0127
Ø 152 mm	080 0152

Hose Coupling, Male

Blind Cap

Size	Art. No.
Ø 127 mm	084 1200
Ø 152 mm	084 1500

Blind Cap

PIPE SYSTEM





PIPE SYSTEM

Decal “Strong Vacuum”

Size	Art. No.
100 x 70 mm	781 0001

Steel Pipe, Hot Dipped Galvanized

Hot-dipped galvanized. Thickness 2,9 mm
Delivered in lengths of 6 m. For alternative dimensions contact us.

Size	Art. No.
Ø 76 mm	100 G076
Ø 108 mm	100 G108
Ø 127 mm	100 G127
Ø 152 mm	100 G152

Steel Pipe, galvanized

Steel Pipe Sendzimir-zincified

Sendzimir-zincified. Thickness 2,0 mm.
Delivered in lengths of 6 m. For alternative dimensions contact us.

Size	Art. No.
Ø 76 mm	100 2076
Ø 108 mm	100 2108
Ø 127 mm	100 2127
Ø 152 mm	100 2152

Steel Pipe, Sendzimir-zincified

Pipe Bend Hose

Pipe Bend hose Black, textile reinforced hose in rubber with steelhelix, extra strong durable rubber inside, smooth outside surface. Thickness 9 mm.

Size	Art. No.
Ø 76 mm	012 0076
Ø 108 mm	012 0108
Ø 127 mm	012 0127
Ø 152 mm	012 0152

Pipe Bend Hose

Branch Pipes

Branch pipes welded, hot-dipped galvanized.
Thickness 2,9 mm. For alternative dimensions contact us.

Size	Art. No.
Ø 76-76 mm	105 0076
Ø 108-76 mm	105 0108
Ø 127-76 mm	105 0127
Ø 152-76 mm	105 0152
Ø 108-108 mm	105 4108
Ø 127-108 mm	105 4127
Ø 152-108 mm	105 4152
Ø 127-127 mm	105 6127
Ø 152-127 mm	105 6152
Ø 152-152 mm	105 8152

Branch Pipe

Steel Bends, Long Radius

Galvanized. Thickness 2,9 mm.
For other dimensions contact us.

Size	Art. No.
Ø 76 mm	130 0076
Ø 108 mm	130 0108
Ø 127 mm	130 0127
Ø 152 mm	130 0152

Steel Bends, Long Radius

Transitions

Welded, hot-dipped galvanized.
For alternative dimensions contact us.

Size	Art. No.
Ø 108-76 mm	121 0108
Ø 127-76 mm	121 0127
Ø 127-108 mm	121 4127
Ø 152-108 mm	121 5152
Ø 152-127 mm	121 6152

Transitions

End Plug

Electro-zinked.

Size	Art. No.
Ø 76 mm	131 0076
Ø 108 mm	131 0108
Ø 127 mm	131 0127
Ø 152 mm	131 0152

End Plug

PIPE SYSTEM

L-formed Bracket Tella EF

Hot-dipped galvanized, horizontal.

Size	Art. No.
150 mm	150-0020
300 mm	150-0021
450 mm	150-0022
600 mm	150-0023
800 mm	150-0024

L-formed Tella EF

L-formed Tella EF

Hot-dipped galvanized, vertical.

Size	Art. No.
300 mm	150-0061
600 mm	150-0062

L-formed Tella EF

Bracket Walkway Tella EF

Left, Electro-zinked, gap 7 mm.

Size	Art. No.
200 mm	870-200541
400 mm	870-200543

Bracket Walkway Tella EF

Ceiling Bracket Tella EF

Hot-dipped galvanizedd for 41 profile.

Art. No.
150-0087

Ceiling Bracket Tella EF

Angle Beam Clamp Tella EF 41

Hot-dipped galvanized, M10 grip 22.

Art. No.
150-0064

Angle Beam Clamp Tella EF 41

Profile Tella EF

Hot-dipped galvanized, holes H41.

Size	Art. No.
2000 mm	150-0065

Profile Tella EF

Profile Tella EF

Electro-zinked, holes H62

Size	Art. No.
200 mm	150-0070

Profile Tella EF

Pipe Mounting Clamp Tella EF

Size	Art. No.
Ø 76 mm	150-0071
Ø 108 mm	150-0072
Ø 127 mm	150-0073
Ø 152 mm	150-0074

Pipe Mounting Clamp Tella EF

L-console

Size	Art. No.
150 mm	150 0150
200 mm	150 0200
250 mm	150 0250
300 mm	150 0300
400 mm	150 0400
600 mm	150 0600
800 mm	150 0800

L-console

Z-console, Standard

Galvanized.

Size	Art. No.
H: 200 mm	151 0200

Z-console, Standard

Z-console, Extra Wide

Galvanized.

Size	Art. No.
B: 250 mm	151 0250

Z-console, Extra Wide

Z-console, High Model

Galvanized

Size	Art. No.
H: 200 mm	151 1200

Z-console, High Model

Console profile

Standard galvanized, delivered in lengths of 2 m.

Size	Art. No.
2000 MM	152 2000

Console Profile

Pipe Mounting Clamp M8

Size	Art. No.
Ø 76 mm	142 0076
Ø 108 mm	142 0108
Ø 127 mm	142 0127
Ø 152 mm	142 0152

Pipe Mounting Clamp M8

PIPE SYSTEM

Hose Clip, Single

Size	Art. No.
Ø 51 mm	145 0051
Ø 60 mm	145 0060
Ø 76 mm	145 0076
Ø 108 mm	145 0108
Ø 127 mm	145 0127
Ø 152 mm	145 0152

Hose Clip, Single

Hose Clip, Heavy Duty

Size	Art. No.
Ø 60 mm	146 0060
Ø 76 mm	146 0076
Ø 102 mm	146 0102
Ø 108 mm	146 0108
Ø 127 mm	146 0127
Ø 152 mm	146 0152
Ø 203 mm	146 0203

Hose Clip, Heavy Duty

Jet Coupling

With conductive rubber.

Size	Art. No.
Ø 76 mm	140 0076
Ø 108 mm	140 0108
Ø 127 mm	140 0127
Ø 152 mm	140 0152
Ø 203 mm	140 0203

Jet Coupling

Tella Suction Outlet Blue 76

Self closing, blue.

Size	Art. No.
Ø 76 mm	162 0076

Tella Suction Outlet 76

Tella Suction Outlet Blue 108

Self closing, blue.

Size	Art. No.
Ø 108 mm	162 0108

Tella Suction Outlet 108

PIPE SYSTEM

End Plate TELLA EF 41

Art. No.
780 0042

End Plate TELLA EF

Nut with Spring TELLA EF 21

Size	Art. No.
M8	150 0005

Nut with Spring TELLA EF

Beam Clamp TELLA EF 21

Size	Art. No.
M8	150 0063

Beam Clamp TELLA EF

FILTERS

Filter Cartridge Venting

For venting at different discharge options

Art. No.
601 4310

Filter Cartridge Venting

Conical Safety Filter

Length 700 mm

Filtertype	Art. No.
Cellulose	601 4500 (CK-700)
Antistatic	601 45 ANTI (CK-700 ANTISTAT)
Polyester	601 42PY (PE-700)
Absolut	601 5200 (ACK-700)

Conical Safety Filter

Cylindrical Safety Filter

Length 360 mm

Filtertype	Art. No.
Cellulosa	601 4000 (C-360)
Cellulosa öppen	601 40 OPEN
Antistat	601 40 ANTI (C-360 ANTISTAT)
Polyester	601 40PY (PE-360)
Absolut	601 5000 (A-360)

Cylindrical Safety Filter

Cylindrical Safety Filter, others

Filtertype	Art. No.
Cellulosa	232460 (660-18)
Antistat	232460 ANTI (660-18 ANTISTAT)
Polypropylen	601 4400 (700-8-PP)
Absolut	601 5100 (A-700)

Cylindrical Safety Filter, others

Filter Hose with Rubber Collar, Polypropylene

Filtertype	Art. No.
95 x 800 mm	230100
95 x 1500 mm	230200

Filter Hose with Rubber Collar, Polypropylene

Filter Hose with Rubber Collar, Polyester

Filtertype	Art. No.
95 x 800 mm	230300
95 x 1500 mm	230350

Filter Hose Rubber Collar, polyester

Filter Hose with Steel Ring, Polypropylene

Filtertype	Art. No.
117 x 800 mm	230150

Filter Hose Steel Ring, polypropylene

Filter Hose with Snap-in Closing, Coated Polyester

Filtertype	Art. No.
130 x 800 mm	601 08TF
130 x 1200 mm	601 12TF

Filter Hose, coated polyester

Filter Hose with Snap-in Closing, Antistatic

Filtertype	Art. No.
130 x 800 mm	601 08ANTI
130 x 1200 mm	601 12ANTI

Filter Hose, antistatic

Support Basket

Filtertype	Art. No.
130 x 800 mm	601 2100
130 x 1200 mm	601 2200
95 x 800 mm	230500
95 x 1500 mm	230650

Support Basket for Filter Hoses

FILTERS

Bag Filter Standard

Filtertype	Art. No.
1000 mm	601 0200

Bag Filter Standard in polyester needle felt.

Bag Filter Coated

Filtertype	Art. No.
1000 mm	601 1100
1200 mm	601 1400
1500 mm	601 1200

Bag Filter in Coated Polyester Fibre

Bag Filter Coated, Antistatic PFTE

Filtertype	Art. No.
1000 mm	601 1302
1200 mm	601 1401
1500 mm	601 1305

Bag Filter in Coated Polyester/Carbon Fibre Antistatic

Support Basket without Handles

Filtertype	Art. No.
1000 mm	601 3100
1200 mm	601 3500
1500 mm	601 3300

Support Basket without Handle with Jet-pulse Cleaning

Support Basket with Handles

Filtertype	Art. No.
1000 mm	601 3000
1200 mm	601 3400
1500 mm	601 3200

Support Basket with Handles

SPARE PARTS

Vacuum Indicator TELLA

Art. No.
701 1200

Vacuum Indicator TELLA

Pressure Difference Switch Type Delta

Art. No.
701 3316

Pressure Difference Switch

Solenoid Valve for ATM

Performance	Art. No.
230 V AC	701 3600
24 V DC	701 3700

Solenoid Valve for ATM

Thermo Coupling

Klixon, will disengage by 120°C or 130°C

Performance	Art. No.
120 °C	701 3400
130 °C	701 3130

Thermo Coupling

Support Helix for Thermo Coupling

Art. No.
172 310814

Support Helix

Level Guard

*Paddle guard and extension not included.
Contact us for more information and the correct length.

Performance	Art. No.
220 - 240 V AC	070 2020
240 V AC ATEX	070 2020 ATEX
110 V AC	070 2021
12/24 V DC	070 2030

Level Guard

SPARE PARTS

Delay Time Interval Control

Adjustable working time from 0 to 10 hours.

Performance	Art. No.
24-240 V AC/DC	710-0001

Delay Time Interval Control

Timer for ATM-Filter Cleaning

Adjustable cleaning interval and cleaning time.

Performance	Art. No.
12-240 V AC/DC	710-0062

Timer for ATM-Filter Cleaning

SPARE PARTS

Vacuum Valve 76 mm / 108 mm

Size	Art. No.
76 mm	701 0600

Vacuum Valve 76/108

Vacuum Valve 152 mm

Size	Art. No.
152 mm	701 0500

Vacuum Valve 152 mm

Complete ATM Valve

Art. No.
604 1000

Complete ATM Valve
Filter Cleaning

Rubber Membrane for ATM Valve

Art. No.
604 1200

Rubber Membrane
ATM Valve

Sponge Rubber Sealing

Size	Art. No.
80 x 30 mm	245510

Cell Rubber Stripe

Size	Art. No.
15 x 8 mm	601 6008
25 x 20 mm	601 6100
40 x 25 mm	601 6200
50 x 30 mm	601 6300
25 x 15 mm	601 6400

Cell Rubber Stripe

SPARE PARTS

Sliding Valve

Pneumatic sliding valve featuring either straight or pull-ring edges, also available with manual operation.

Size
Sizes from 50 mm up to 203 mm.



Sliding Valve

Butterfly Valve

Delivered complete with actuator and solenoid valve. Other options on request.

Size	Art. No.
Ø 150 mm	702 1300
Ø 200 mm	702 1200
Ø 250 mm	702 1100
Ø 300 mm	702 1000

Butterfly Valve

Flap Valve

We provide various versions of flap valves designed for discharging into Big Bags or skips.

Size	Art. No.
DN 250	560 0003
DN 300	560 0005

Flap Valve

If you require any additional spare parts or have specific needs, please do not hesitate to contact us.

SERVICE

DISAB Service Agreement: Simplify Your Maintenance Management

Control your maintenance costs effectively with DISAB. Our service agreements offer both scheduled maintenance and emergency repairs to ensure continuous operational efficiency.

Customizable Solutions:
Collaborate with us to tailor a service plan that fits your business's needs and budget. Choose from basic inspection services to comprehensive packages, including training and extended services.

Comprehensive Care:
We provide expert service and original parts for DISAB, TELLA, and VIBRAMAT, and maintain other brands for smooth equipment operation.

Preventive Maintenance for Reliability:
Our proactive approach helps prevent operational disruptions and downtime by replacing worn or outdated components before they fail.

Efficient and Effective:
With detailed documentation of your facilities, we ensure rapid response and efficient problem resolution, enhancing both safety and reliability.

Choose DISAB:
Discover the DISAB difference and enjoy optimal maintenance that safeguards your operations.

SERVICE

Features	D-Test	DISAB Basic Service	DISAB Extended Service
Purpose	Equipment Check-up	Regular Maintenance	Comprehensive Maintenance
Service Interval	As needed	1-2 times per year	Customized intervals
Oil Change		✓	✓
Vacuum Pump Service		✓	✓
Engine Service		✓	✓
Safety Filter	✓	Checked & Changed	Checked & Changed
Main Filter Replacement	✓	✓	✓
Seals and Gaskets Check	✓	✓	✓
Vacuum Safety Valves	Checked	Checked & Adjusted	Checked & Adjusted
Functional Check	✓	✓	✓
Electric Motor Consumption Check	✓	✓	✓
Vibration Control	✓	✓	✓
Vacuum Check	✓	Checked & Adjusted	Checked & Adjusted
Control of pipe system			✓
Calling-out-time			✓
Advanced Controls			✓ (Pipe systems & separators
Status Report	✓	✓	✓

Place your order by contacting us at:
+46 (0)8 514 505 70 or by email at
industrial@disab.com.

For more information, please visit our
website at www.disab.com

DISAB
THE POWER OF VACUUM